


HIGH GIRDER BRIDGE

5
FAKTOR



INCREDIBLE PERFORMANCE

THE NEW GOLDHOFER HIGH GIRDER BRIDGE



»Faktor 5« – Using 100 tons to move 500 tons!

Faktor 5 stands for the payload and the performance of the new high girder bridge from Goldhofer. It is capable of moving five times its own weight.

Goldhofer – The Original.

The new generation of high girder bridges from Goldhofer combines peak technology and cost efficiency in one. An intelligent, safe transport system for special requirements in challenging situations:

The perfect coordination of deadweight and payload

Faktor 5: a payload to deadweight ratio of 5 to 1

Sensational handling

- Vertical lifting stroke of 1,80 m
- Loading width from 3 m to 6.75 m – flexible and easily adjustable
- Loading length from 11 m to 17 m – and even longer if needed
- Variable axle combinations of 2 x 12 up to 2 x 20
- Simple operation with a tried-and-tested system
- Intelligent cross-bracing system
- Easy mobilization and economical shipping in containers

Greatest transport safety

- Technologically tried and true
- Goldhofer lateral stabilization system
- Reliable hydraulics (max. 250 bar)


SAFE AND COST-EFFICIENT – SYSTEMATIC VERSATILITY

THE GOLDHOFER MODULAR HIGH GIRDER BRIDGE

350 t


2 x THP/12

PL 350,0 t HGB 88,0 t LDF 12,0 t
 THP 87,0 t GW 537,0 t AL 22,4 t



2 x THP/12


PL 350,0 t HGB 95,0 t LDF 12,0 t
 THP 87,0 t GW 544,0 t AL 22,7 t



500 t


2 x THP/16

PL 500,0 t HGB 96,0 t LDF 12,0 t
 THP 115,0 t GW 723,0 t AL 22,6 t




2 x THP/16

PL 500,0 t HGB 104,0 t LDF 12,0 t
 THP 115,0 t GW 731,0 t AL 22,8 t



2 x THP/20


PL 385,0 t HGB 104,0 t LDF 12,0 t
 THP 144,0 t GW 645,0 t AL 16,1 t



650 t

2 x THP/20

PL 650,0 t HGB 156,0 t LDF 20,0 t
 THP 144,0 t GW 970,0 t AL 24,3 t



5
FAKTOR



Goldhofer



Customer: Silamas, Thailand

GOLDHOFER AKTIENGESELLSCHAFT

Donaustraße 95, 87700 Memmingen/Germany
Phone: +49 8331 15-0, Fax: +49 8331 15-239
Web: www.goldhofer.de, E-Mail: info@goldhofer.de

VERKAUF | SALES**Transport Technology**

Phone Trailer/Semitrailer: +49 8331 15-341
Phone Modular trailer: +49 8331 15-342
E-Mail: sales@goldhofer.de

Airport Technology

Phone: +49 8331 15-343
E-Mail: airport-technology@goldhofer.de

KUNDENSERVICE | CUSTOMER SERVICE**Transport Technology**

Phone: +49 8331 15-400
Fax: +49 8331 15-247
E-Mail: service@goldhofer.de

Airport Technology

Phone: +49 8331 15-181
Fax: +49 8331 15-247
E-Mail: service@goldhofer.de